



HexPly® M10E

Epoxy Resin System

Product Data

Description

HexPly® M10E is an epoxy resin system preimpregnated into aramid, glass or graphite multiaxial fabrics and unidirectional fibers. M10E prepregs are recommended for the production of low cost, large thick-sectioned industrial structures.

Features

- Flexible Cure Cycle (185° F to 300° F)
- Vacuum Bag or Autoclave Cure
- High Flow, Low Viscosity System
- Medium to High Tack
- Can be Stored at Room Temperature for 60 Days
- Optically Clear Resin

Properties

- Glass transition temperature: Dry, 241° F, Wet, 194° F
- Resin density 1.19
- Barcol Hardness 33

Availability

Form	Hexcel Designation	Fiber	Fiber Areal Wt. G/m ²	Weave	Count Warp x Fill	Available Widths Standard Width in (cm)
Fabric PW	282	3K	197	Plain weave	12 by 12	50"
Graphite UD	AS3C-S 150-300 GSM	AS3C-S 12K	150-300			12", 24"

Physical Properties

Property	Carbon Tapes
Tensile and compressive	M10E 37% AS3C-S, 300 GSM



Mechanical Properties

Property	Temperature	Condition	Carbon Tapes
Tensile Strength	Room Temp.	Dry	293 ksi
Tensile Modulus	Room Temp.	Dry	17.6 Msi
Tensile Strain	Room Temp.	Dry	1.54%
Compression Strength	Room Temp.	Dry	154 ksi
Compression Modulus	Room Temp.	Dry	17.0 Msi
Compression Strain (calculated)	Room Temp.	Dry	0.91%

Cure Cycle

- 185° F, 14 hours
- 200° F, 120 minutes
- 250° F, 30 minutes
- 300° F, 8 minutes

Cure Procedure

Vacuum bag or autoclave cure using ramp rate of 2-5° F per minute. Recommend hold at 250° F for 30 minutes.

Storage

- At 0° F, 18 months
- At 41° F, 6 months
- At 72° F, 2 months

Important

Hexcel Corporation believes, in good faith, that the technical data and other information provided herein is materially accurate as of the date this document is prepared. Hexcel reserves the right to modify such information at any time. The performance values in this data sheet are considered representative but do not and should not constitute specification minima. The only obligations of Hexcel, including warranties, if any, will be set forth in a contract signed by Hexcel or in Hexcel's then current standard Terms and Conditions of Sale as set forth on the back of Hexcel's Order Acknowledgement.

For more Information

Hexcel is a leading worldwide supplier of composite materials to aerospace and other demanding industries. Our comprehensive product range includes:

- Carbon Fiber
- RTM Materials
- Honeycomb Cores
- Continuous Fiber Reinforced Thermoplastics
- Carbon, Glass, Aramid and Hybrid Prepregs
- Structural Film Adhesives
- Honeycomb Sandwich Panels
- Special Process Honeycombs
- Reinforced Fabrics

For US quotes, orders and product information call toll-free 1-800-688-7734. For other worldwide sales office telephone numbers and a full address list please click here: <http://www.hexcel.com/contact/salesoffices>.